

SPECIFICATION SHEET

SPECIFICATION SHEET NO.	Q0607- CRCL03FB0R1S01
DATE	June. 7, 2023
REVISION	A0
DESCRIPITION	Thick Film Low Ohm Chip Resistors (High power rating and low TCR), 0603 (1608 Metric), CL03 Series, Dimension L1.60*W0.80*H0.45mm, 2 Terminations, Tolerance: ±1.0%, Resistance 0.1 ohm, Dissipation Max. 1/8W @ 70°C, Temperature Coefficient Rate (TCR) Max. ±200ppm/°C Operating Temp. Range -55°C ~+155°C Package in Tape/Reel, 5,000pcs/Reel RoHS/RoHS III compliant and HF
CUSTOMER	
CUSTOMER PART NUMBER	
CROSS REF. PART NUMBER	
ORIGINAL PART NUMBER	Aillen CL03FB0R1
PART CODE	CRCL03FB0R1S01

VENDOR APPROVE

Issued/Checked/Approved








DATE: June. 7, 2023

CUSTOMER APPROVE	
DATE:	



THICK FILM LOW OHM CL03 SERIES

DESCRIPTION







The resistors are constructed in a high grade ceramic body (aluminum oxide). Internal metal electrodes are added at each end and connected by a resistive paste that is applied to the top surface of the substrate. The composition of the paste is adjusted to give the approximate resistance required and the value is trimmed to within tolerance by laser cutting of this resistive layer. The resistive layer is covered with a protective coat. Finally, the two external end terminations are added. For ease of soldering the outer layer of these end terminations is a Tin (lead free) alloy.

MAIN FEATURE

- High power rating and low TCR
- · High reliability and stability
- Reduced size of final equipment
- RoHS exemption free and Lead free products

APPLICATION

- Power supply / Battery Pack
- Battery charger/ PC
- DC-DC power converter

PART CODE GUIDE


<u>RFQ</u>
Request For Quotation

CRCL	03	F	В	0R1	S01
1	2	3	4	5	6

- 1) CRCL: Product code for Thick Film Low Ohm Chip Resistors
- 2) 03: Size Code, 0603 (1608 Metric), CL03 Series, Dimensions L1.60*W0.80*H0.45mm
- 3) F: Resistance Range Tolerance Code, P: Jumper; B: +/-0.1%; D: +/-0.5%; F: +/-1%; J: +/-5%
- 4) B: Package Code, A: 4Kpcs/7"Reel; B:5kpcs/7"Reel; C:10kpcs/7"Reel; M:15kpcs/7"Reel; D:10kpcs/10"Reel; E:20kpcs/10"Reel
- 5) OR1: Resistance value code. OR: Oohm; OR1: 0.1ohm; 15R: 15ohm; 20R: 20ohm; 39R: 39ohm; 51R: 51ohm; 100R: 100ohm;
- 390R: 390ohm; 1K:1Kohm; 1K87: 1.87Kohm; 4K7: 4.7Kohm; 10K: 10Kohm; 10K5: 10.5Kohm; 12K: 12 Kohm; 150K: 150Kohm;

226K: 226Kohm; 1M: 1.0Mohm; 1M2: 1.2Mohm

6) S01: Internal control code, digits and letter; Blank: N/A



THICK FILM LOW OHM CL03 SERIES

DIMENSION (Unit: mm)


Image for reference



General Marking: 4-digits marking


*Each resistor is marked with a four digits code on the protective coating to designate the nominal resistance value

CL03 series




Item	Dimension
L	1.60±0.10
W	0.80±0.10
Т	0.45±0.10
Тb	0.30±0.20
Τt	0.30±0.20


Resistors Construction For Reference



Recommended **Solder Pad**



Item	Dimension	
W	0.90	
L	3.00	
D	1.00	3




THICK FILM LOW OHM CL03 SERIES

GENERAL ELECTRONICAL CHARACTERISTICS

Item		Unit	Symbol	Characteristic	Condition
Pro	Product Name		CRCL	Thick Film Low Ohm Chip Resistors	
	Size		0603	CL03 Series, L1.60*W0.80*H0.45mm	
Resis	stance Range	Ω		0.1	
Resista	Resistance Tolerance		F	±1.0%	
TCR	TCR 91MΩ≥ R>50MΩ			≤ ±400	
	910MΩ≥ R>100MΩ			≤ ±200	
Max	Max. Dissipation			1/8	@ Tamb=70°C
Operati	Operating Temperature			-55 ~+155	

Note

- 1) This is the maximum voltage that may be continuously supplied to the resistor element, see "IEC publication 60115-8"
- 2) Max. Operation Voltage : So called RCWV (Rated Continuous Working Voltage) is determined by $RCWV = \sqrt{Rated\ Power \times Resistance\ Value} \text{ or Max. RCWV listed above, whichever is lower.}$
- 3) Test condition for jumper (0 Ω)



THICK FILM LOW OHM CL03 SERIES

PRODUCT CHARACTERIZATION

Standard values of nominal resistance are taken from the E24 & E96 series for resistors with a tolerance Of +/-0.1%, +/-0.5%, +/-1% & +/-5%, The values of the E24/E96 series are in accordance with "IEC publication 60063"

DERATING

The power that the resistor can dissipate depends on the operating temperature; see Fig.1





Fig 1 Maximum dissipation in percentage of rated power as a function of the ambient temperature

MOUNTING

Due to their rectangular shapes and small tolerances, Surface Mountable Resistors are suitable for handling by automatic placement systems. Chip placement can be on ceramic substrates and printed-circuit boards (PCBs). Electrical connection to the circuit is by individual soldering condition. The end terminations guarantee a reliable contact.



THICK FILM LOW OHM CL03 SERIES

REFLOW SOLDERING CONDITION

The robust construction of chip resistors allows them to be completely immersed in a solder bath of 260 °C for 10 seconds. Therefore, it is possible to mount Surface Mount Resistors on one side of a PCB and other discrete components on the reverse (mixed PCBs). Surface Mount Resistors are tested for solderability at 235 °C during 2 seconds. The test condition for no leaching is 260°C for 30 seconds. Typical examples of soldering processes that provide reliable joints without any damage are given in Fig 2.





Fig 2. Infrared soldering profile for Chip Resistors



THICK FILM LOW OHM CL03 SERIES

TEST AND REQUIREMENT (JIS C 5201-1: 1998)


TEST	PROCEDURE / TEST METHOD	REQUIREMENT
Temperature	Natural resistance change per change in degree	Within the specified tolerance
Coefficient of	centigrade.	Refer to "QUICK REFERENCE
Resistance(T.C.R)	$\frac{R_2 - R_1}{R_1(t_2 - t_1)} \times 10^6 \text{ (ppm/°C)}$	DATA"
Clause 4.8		
	R1: Resistance at reference temperature 25°C	
	R2: Resistance at test temperature 155°C	
Short time overload	Permanent resistance change after a 5second	J: Δ R/R max. ±(2%+0.5mΩ)
(S.T.O.L) Clause 4.13	application of a 5 times rated power.	F: Δ R/R max. ±(1%+0.5mΩ)
Resistance to	Un-mounted chips completely immersed for	J: Δ R/R max. ±(1%+0.5mΩ)
soldering heat(R.S.H)	10±1second in a SAC solder bath at 260°C±5°C	F: Δ R/R max. ±(0.5%+0.5mΩ)
Clause 4.18		no visible damage
Solderability	Un-mounted chips completely immersed for 2±0.8	95% coverage min., good
Clause 4.17	second in a SAC solder bath at 235°C±5°C	tinning and no visible damage
Temperature cycling	30 minutes at -55°C±3°C, 2~3 minutes at 20°C+5°C-1°C,	J: Δ R/R max. ±(1%+0.5mΩ)
Clause 4.19	30 minutes at +125°C±3°C, 2~3 minutes at 20°C+5°C1°C,	F: Δ R/R max. ±(0.5%+0.5mΩ)
	total 5 continuous cycles	no visible damage
Damp Heat	1000 +48/-0 hours, loaded with RCWV or Vmax in	J: Δ R/R max. ±(3%+0.5mΩ)
(Load life in	humidity chamber controller at 40°C±2°C and 90~95%	F: Δ R/R max. ±(1%+0.5mΩ)
humidity)	relative humidity, 1.5hours on and 0.5 hours off	
Clause 4.24		
Load life (endurance)	1000 +48/-0 hours, loaded with RCWV or Vmax in	J: Δ R/R max. ±(3%+0.5mΩ)
JISC5201-1: 1998	chamber controller 70±2°C, 1.5 hours on and 0.5 Hours	F: Δ R/R max. ±(1%+0.5mΩ)
Clause 4.25	off	
Bending strength	Resistors mounted on a 90mm glass epoxy resin	J: Δ R/R max. ±(1%+0.5mΩ)
Clause 4.33	PCB(FR4); bending: 3mm for 0603/0805, 2mm for	F: Δ R/R max. ±(0.5%+0.5mΩ)
	1206 and above sizes, once for 10 seconds	no visible damage
Adhesion	Pressurizing force: 5N, Test time: 10±1sec.	No remarkable damage or
Clause 4.32		removal of the terminations
Insulation Resistance	Test voltage: 100+/-15V	I.R≧1GΩ
Clause 4.6		7



THICK FILM LOW OHM CL03 SERIES


REEL DIMENSION (Unit: mm)

7": 5,000Ppcs/Reel



Code	Dimension 7"	Dimension 10"	Dimension 13"	
А	178.0+/-2.0	254.0+/-2.0	330.0+/-2.0	
В	60.0 +/-1.0	100 +/-1.0	100+/-1.00	
С	13.0+/-0.5	13.0+/-0.5	13.0+/-0.5	
D	10.0±1.5	10.0±1.5	10.0±1.5	


TAPE DIMENSION (Unit: mm)



Code	Dimension
А	1.90±0.20
В	1.10±0.20
W	8.00±0.30
F	3.50±0.20
E	1.75±0.10
P 1	4.00±0. 10
P0	4.00±0.10
ФD	1.50±0.10
Т	0.8 Max.

TAPING QUANTITY AND TAPE MATERIAL

Таре	Paper Tape					Embossed Tape	Bulk Cassette	
		4 mm Pitch		2 mm Pitch			4 mm Pitch	
Reel Size	7"	10"	13"	7"	7" 10" 13"		7"	
CL03	5000	10000	20000	10000	20000		-	20000




THICK FILM LOW OHM CL03 SERIES

PERFORMANCE OF TAPING

Strength of Carrier Tape and Top Cover Tape

Carrier Tape: When a tensile force 1.02kgf is applied in the direction of unreeling the tape, the tape shall withstand this force. Top cover Tape: When a tensile force 1.02kgf is applied to the tape, the tape shall withstand this force. Peel Force of Top Cover Tape

Unless otherwise specified, the peel force of top cover tape shall be 10.2 to 71.4 g f when the top cover tape is pulled at a speed of 300mm/min with the angle between the taped during peel and the direction of unreeling maintained at 165 to 180°as illustrated in Fig.



DISCLAIMER

NextGen Component, Inc. reserves the right to make changes to the product(s) and or information contained herein without notice. No liability is assumed as a result of their use or application. No rights under any patent accompany the sale of any such product(s) or information